| Berkshire Breeding Bird Population Estimates | | |
|--|--------------------------------|---------------------|
| Species likely to have bred in 2021 ¹ | Population (pairs/territories) | Source ² |
| Canada Goose | 1,900 (L) | APEP |
| Greylag Goose | 340 (L) | APEP |
| Mute Swan | 200 - 300 | Atlas 2008-11 |
| Egyptian Goose | 150 (L) | APEP |
| Shelduck | 24 (M) | APEP |
| Mandarin Duck | 190 (L) | APEP |
| Shoveler | 0 - 5 | Expert review |
| Gadwall | 24 - 68 | Atlas 2008-11 |
| Mallard | 1,200 (L) | APEP |
| Red-crested Pochard | 5 - 10 | Expert review |
| Pochard | 10 - 20 | Expert review |
| Tufted Duck | 250 (L) | APEP |
| Goosander | 1 - 5 | Expert review |
| Grey Partridge | 50 - 150 | Expert review |
| Pheasant | 20,000 (M) | APEP |
| Quail | 0 - 20 | Expert review |
| Red-legged Partridge | 850 (M) | APEP |
| Nightjar | 50 - 100 | Annual reports |
| Swift | 750 (M) | APEP |
| Cuckoo | 75 (L) | APEP |
| Rock Dove / Feral Pigeon | 4,700 (M) | APEP |
| Stock Dove | 3,000 (M) | APEP |
| Woodpigeon | 76,000 (M) | APEP |
| Collared Dove | 8,200 (M) | APEP |
| Water Rail | 30 - 50 | Survey 2016-8 |
| Moorhen | 3,500 (M) | APEP |
| Coot | 690 (L) | APEP |
| Little Grebe | 40 - 60 | Atlas 2008-11 |
| Great Crested Grebe | 200 - 300 | Atlas 2008-11 |
| Stone-curlew | 1 - 5 | Expert review |
| Oystercatcher | 5 - 10 | Expert review |
| Lapwing | 500 - 1,000 | Atlas 2008-11 |
| Ringed Plover | 0 - 5 | Expert review |
| Little Ringed Plover | 10 - 20 | Expert review |
| Curlew | 2 - 5 | Expert review |
| Woodcock | 400 (M) | APEP |
| Redshank | 1 - 5 | Expert review |
| Black-headed Gull | 450 (H) | APEP |
| Mediterranean Gull | 2 | Expert review |
| Herring Gull | 10 - 100 | Expert review |
| Lesser Black-backed Gull | 10 - 50 | Expert review |
| Common Tern | 170 (M) | APEP |
| Cormorant | 110 (M) | APEP |
| - Contribution | 110 (141) | ALLI |

| 110 (H) | |
|-----------|--|
| | APEP |
| 5 - 20 | Expert review |
| 210 (M) | APEP |
| 2 - 10 | Expert review |
| 200 - 560 | Atlas 2008-11 |
| 600 - 900 | Atlas 2008-11 |
| 60 - 100 | Atlas 2008-11 |
| 50 - 80 | Atlas 2008-11 |
| 2 - 10 | Expert review |
| 400 (M) | APEP |
| 44 - 69 | Atlas 2008-11 |
| 1 - 10 | Expert review |
| 2,500 (M) | APEP |
| 1,100 (M) | APEP |
| 450 (M) | APEP |
| 10 - 50 | Expert review |
| 5 - 10 | Expert review |
| 1,100 | Atlas 2008-11 |
| | APEP |
| | Expert review |
| | APEP |
| | APEP |
| + | Expert review |
| | APEP |
| | Atlas 2008-11 |
| - | APEP |
| | |
| + | APEP |
| | APEP |
| | APEP |
| | APEP |
| + | Expert review Expert review |
| | 2 - 10 200 - 560 600 - 900 60 - 100 50 - 80 2 - 10 400 (M) 44 - 69 1 - 10 2,500 (M) 1,100 (M) 450 (M) |

| Species likely to have bred in 2021 ¹ | Population (pairs/territories) | Source ² |
|--|--------------------------------|---------------------|
| Goldcrest | 5,100 (M) | APEP |
| Wren | 76,000 (M) | APEP |
| Nuthatch | 4,200 (M) | APEP |
| Treecreeper | 2,600 (M) | APEP |
| Starling | 12,000 (M) | APEP |
| Song Thrush | 11,000 (M) | APEP |
| Grasshopper Warbler | I - 10 | Expert review |
| Mistle Thrush | 1,300 (M) | APEP |
| Blackbird | 48,000 (M) | APEP |
| Spotted Flycatcher | 50 - 100 | Expert review |
| Robin | 70,000 (M) | APEP |
| Nightingale | 50 - 100 | Surveys 2010, 2021 |
| Black Redstart | 2 - 5 | Expert review |
| Redstart | 10 - 50 | Expert review |
| Stonechat | 77 (M) | APEP |
| House Sparrow | 23,000 (M) | APEP |
| Dunnock | 20,000 (M) | APEP |
| Yellow Wagtail | 10 - 20 | Expert review |
| Grey Wagtail | 260 (L) | APEP |
| Pied Wagtail | 2,500 (M) | APEP |
| Meadow Pipit | 20 - 100 | Expert review |
| Tree Pipit | 10 - 50 | Expert review |
| Chaffinch | 48,000 (M) | APEP |
| Bullfinch | 960 (M) | APEP |
| Greenfinch | 19,000 (M) | APEP |
| Linnet | 2,300 (M) | APEP |
| Lesser Redpoll | 0 - 20 | Expert review |
| Common Crossbill | 10 - 100 | Expert review |
| Goldfinch | 9,300 (M) | APEP |
| Siskin | 230 (L) | APEP |
| Corn Bunting | 100 - 300 | Expert review |
| Yellowhammer | 5,000 (M) | APEP |
| Reed Bunting | 1,200 (M) | APEP |

¹ Species included are birds thought to have bred in the last five years.

APEP: For commoner species, Berkshire population estimates in Appendix IV of *The Birds of Berkshire* 2013 have been used. These were derived from Avian Population Estimates Panel national population estimates (Musgrove *et al* 2013, *British Birds* **106**, 64-100) x Berkshire fraction of national abundance from BTO atlas surveys 2008-11. Confidence in the APEP estimate is given as high (H), medium (M) or low (L).

Expert review: for scarcer species, a consensus of experts has been sought. The experts included the County Recorder (Marek Walford), the authors (Neil Bucknell and Renton Righelato) and members of the BOC's Conservation Subcommittee.

² Atlas 2008-11: data are based on Berkshire 2008-11 atlas survey counts given in Appendix IV of *The Birds of Berkshire*, 2013.